TECNOCAT
TECNOLOGÍA E
INNOVACIÓN



TECNOCAT WORK SERIES

VL-GB4 | VL-GB4+4

www.tecnocat.com

VL-GB4 | VL-GB4+4

WORK SERIES

VL-GB4



EN13155	300 kg
kg	45 kg

VL-GB4+4




EN13155	600 kg
kg	65 kg


EN13155	OK
	90º - 180º - 270º - 360º
	0º - 60º - 90º
	83 L/min

kW	80 W
	BATTERY CHARGE 220-240V AC 50-60 HZ
	OK - BATTERY 12V - Running period 20h aprox
	OK

VL-GB4



VL-GB4+4




INCLUDED

- SUPPORT WITH WHEELS
- METAL HANGING EXTENSION 2 SIZES

OPTIONAL

- **CM-VL** METAL BOX
- **FU-P** COVERS
- HYDRAULIC PISTON
- A. CURVED ARM 9+9 CUPS Ø125 (270KG)
- B. CURVED ARM 5+5 CUPS Ø275 (500KG)



PICTOGRAMS

- ELECTRICAL POWER
- NOMINAL ELECTRIC POWER
- ENERGY AUTONOMY BY BATTERIES
- PNEUMATIC SUPPLY
- MAXIMUM LOAD CAPACITY
- MAXIMUM LOAD CAPACITY ACCORDING EN-13155
- TILTING EQUIPMENT
- MANUALLY TILTING EQUIPMENT
- PNEUMATIC TILTING EQUIPMENT
- MOTORIZED TILTING EQUIPMENT
- HYDRAULIC TILTING EQUIPMENT
- ROTATION EQUIPMENT
- MANUAL ROTATION EQUIPMENT
- PNEUMATIC ROTATION EQUIPMENT
- MOTORIZED ROTATION EQUIPMENT
- HYDRAULIC ROTATION EQUIPMENT
- EQUIPMENT WEIGHT
- VACUUM SYSTEM AIR FLOW
- PUSHBUTTON CABLE LENGTH
- WIRELESS PUSHBUTTON
- LOAD CAPACITY ACCORDING EN-13155
- EQUIPMENT SUPPORT SYSTEM
- LIFTING CRANE USABLE ROTATION

TECNOCAT
GLASS MOVEMENT

TECNOCAT 21, S.L. Av. del Coure 4, Pol.Ind. Argenteria 43470 - La Selva del Camp (Tarragona) SPAIN
+34 977 76 61 97 | info@tecnocat.com **www.tecnocat.com**